

INDEX MAPS.

T.25N. R.9E. 2nd Mer.

	75		75		75		74		74		74	
77	6	96	5	91	4	88	3	84	2	81	1	73
	96		95		91		87		84		80	
77	7	95	8	91	9	87	10	84	11	80	12	73
	95		95		90		87		83		80	
77	18	94	17	90	16	87	15	83	14	79	13	73
	94		94		90		86		83		79	
76	19	93	20	89	21	86	22	82	23	79	24	73
	93		93		89		85		82		79	
76	30	92	29	89	28	85	27	82	26	78	25	72
	92		92		88		85		81		78	
76	31	92	32	88	33	85	34	81	35	78	36	72
	92		92		88		85		81		78	
	72		72		71		71		71		71	

T.26N. R.9E. 2nd Mer.

	102L		103		103		103		102		102	
105	6	130	5	124	4	119	3	115	2	110	1	102
	130		129		123		119		114		110	
105	7	129	8	123	9	118	10	114	11	109	12	102
	129		128		123		118		113		109	
105	18	128	17	122	16	117	15	113	14	108	13	101
	127		127		122		117		113		108	
105	19	127	20	121	21	117	22	112	23	107	24	101
	126		126		121		116		112		107	
104	30	125	29	121	28	116	27	111	26	107	25	101
	125		125		120		115		111		106	
104	31	124	32	120	33	115	34	111	35	106	36	100
	100		100		100		99		99		99	

Meadow of Salomani R. 131

Township 25 North, Range 9 East, 2nd Mer. Ind. 71

South Boundary

Var. 6° 10' E.

West on S. Side of Sec. 36

40.00 Let gr. Sec. Post from which
a Beech 9 in. dia. bears S 50° N 24 W. dist. 8
a Do 14 " " " N 20° E 41 " "

80.00 Let post Cor. to Sect. 35 & 36 from which
a Beech 12 in. dia. bears S 6° N 15 W. dist. 8
a W. Oak 8 " " " N 55° W 22 " "
Rich land. Timber Beech. Sugar. ung^d. Spice.

West on S. Side of Sec. 35

40.00 Let gr. sec. post from which
a Sugar 18 in. dia. bears S 34° W 19 W. dist. 8
a Do 12 " " " S 70° E 16 " "

80.00 Let post Cor. to Sect. 34 & 35 from which
a Beech 12 in. dia. bears S 12° E 16 W. dist. 8
a W. Oak 12 " " " N 60° W 17 " "
Land & Timber same as on the last line.

West on S. Side of Sec. 34.

40.00 Let gr. Sec. Post from which
a Beech 14 in. dia. bears S 61° W 29 W. dist. 8
a Hickory 15 " " " N 31° E 16 " "

80.00 Let post Cor. to Sect. 33 & 34 from which
an Ironwood 6 in. dia. bears S 36° E 16 W. dist. 8
a Beech 18 " " " N 33° W 11 " "
Land & Timber same as on the last line.

West on S. Side of Sec. 33.

40.00 Let gr. Sec. Post in Swamp no bearings

80.00 Let post Cor. to Sect. 32 & 33 from which
a Beech 12 in. dia. bears N 63° E 12 W. dist. 8
a Do 12 " " " N 74° W 34 " "

Land & Timber same as on the last line.

West on S. Side of Sec. 32.

- 40.00 Let gr. Sec. post from which
 an Ash 6 in. dia. bears N 35 E 7 1/2 W. dist. 8
 at Beech 4 " " " 435 W 6 " "
 80.00 Let post con. to Sec. 31 & 32 from which
 an Ash 8 in. dia. bears N 41 E 8 1/2 W. dist. 8
 at Beech 4 " " " 187 W 10 " "
 Land & Timber same as on the last line.

West on S. Side of Sec. 31

- 40.00 Let gr. Sec. post from which
 at Beech 12 in. dia. bears 477 E 22 1/2 W. dist. 8
 a Do 9 " " " N 30 W 21 " "
 75.35 To Township Corner.

East Boundary

Var.

North on E. Side of Sec. 36.

- 40.00 Let gr. Sec. post from which
 a Maple 18 in. dia. bears 420 E 24 1/2 W. dist. 8
 a Do 10 " " " N 40 E 14 " "
 54.65 a W. Oak 36 " "
 80.00 Let post con. to Sec. 35 & 36 from which
 an Ash 24 in. dia. bears 415 W 8 1/2 W. dist. 8
 an Elm 12 " " " N 50 W 6 " "
 Land rich, Timber Beech. Sugar &c

North on E. Side of Sec. 25

- 40.00 Let gr. Sec. post from which
 a W. Oak 24 in. dia. bears N 59 E 19 1/2 W. dist. 8
 an Ash 10 " " " 418 W 17 " "
 80.00 Let post con. to Sec. 34 & 25 from which
 an Elm 12 in. dia. bears 415 E 9 1/2 W. dist. 8
 a Do 8 " " " N 69 W 7 " "
 Land & Timber same as on the last line.

T. 25 N. - R. 9 E. 2nd Mer. Indiana 73

North on E. Side of Sec. 24

- 40.00 Let gr. sec. post from which
a H. Oak 12 in. dia. bears S 45 W 6 1/2th dist.
a Do 12 " " " S 66 E 6 " "
80.00 Let post Co. to Secs. 13 & 24 from which
a Lycamore 24 in. dia. bears S 50 W 60 1/2th dist.
a H. Oak 10 " " " N 80 E 25 " "
Land & Timber same as on the last line.
-

North on E. Side of Sec. 13

- 40.00 Let gr. sec. post from which
a H. Oak 10 in. dia. bears S 81 W 7 1/2th dist.
a Do 12 " " " S 36 E 18 " "
80.00 Let post Co. to Secs. 12 & 13 from which
a Beech 18 in. dia. bears N 45 W 15 1/2th dist.
an Ironwood 8 " " " S 60 E 20 " "
Land & Timber same as on last line.
-

North on E. Side of Sec. 12

- 40.00 Let gr. sec. post from which
a Beech 18 in. dia. bears S 88 E 9 1/2th dist.
an Ironwood 8 " " " N 68 W 10 " "
75.00 a creek 75 1/2th wide runs N.E.
78.00 Do " " " " N.W.
80.00 Let post Co. to Secs. 17 & 12 from which
a Beech 36 in. dia. bears S 28 E 16 1/2th dist.
a Hickory 24 " " " N 18 E 15 " "
Land & Timber same as on the last line.
-

North on E. Side of Sec. 1

- 2.00 The same Creek 75 1/2th wide runs N.E.
40.00 Let gr. sec. post from which
an Ash 10 in. dia. bears S 46 W 15 1/2th dist.
a Do 8 " " " N 34 W 8 " "
77.00 Let post Co. to Townships 25 & 26 North,
Ranges 9 & 10 East, from which

T. 25 N. - R. 9 E. 2nd Mer. Indiana

an Elm 24 in. dia. bears 473 E 22 W. dist.
 an Ash 10 " " " 446 W 14 " "
 Land & Timber same as on the last line.
 March 30th 1820 -

North Boundary

Var. 6° 30' E.

West on S. Side of Sec. 36 T. 26 N. - R. 9 E.

7.50 an Elm 18 in. dia.
 40.00 Let gr. Sec. post from which
 an Oak 18 in. dia. bears 479 E 11 W. dist.
 a Beech 13 " " " N 60 E 47 " "
 63.20 an Oak 24 " "
 80.00 Let post con. to Sec. 35 & 36 from which
 an Oak 36 in. dia. bears N 21 E 18 W. dist.
 an Ash 7 " " " 440 W 3 " "
 Over good farming land. Timber Beech. Sugar,
 Oak. Oak. & Ring^d Spruce.

West on S. Side of Sec. 35 T. 26 N. - R. 9 E.

13.00 an Oak 18 in. dia.
 40.00 Let gr. Sec. post from which
 an Ash 8 in. dia. bears 478 E 4 W. dist. &
 an Elm 10 " " " N 80 W 18 " "
 57.30 an Oak 14 in. dia.
 80.00 Let post con. to Sec. 34 & 35 from which
 an Ironwood 8 in. dia. bears N 30 E 2 W. dist.
 a Beech 18 " " " 449 W 23 " "
 Land & Timber same as on the last line.

West on S. Side of Sec. 34 T. 26 N. - R. 9 E.

22.90 a Beech 10 in. dia.
 40.00 Let gr. Sec. post from which
 a Hickory 22 in. dia. bears 415 E 8 W. dist.
 a Beech 14 " " " N 24 W 12 " "
 52.35 an Ash 16 " "

T. 25 N. - R. 9 E. 2nd Mer. Indiana 75

80.00 Set post cor. to Secs. 33 & 34 from which
a Hickory 18 in. dia. bears S 65 E 15 W. dist. X
an Ash 11 " " " N 50 W 13 " "
Land & Timber same as on the last line.

West on S. Side of Sec. 33 T. 26 N. - R. 9 E.

10.00 Enter a Swamp.

40.00 Set gr. Sec. post from which
an Ash 7 in. dia. bears N 34 E 9 W. dist. X
a Do 7 " " " S 22 W 9 " "

50.80 at Beach 12 " "

75.00 Dry Land.

80.00 Set post cor. to Secs. 32 & 33 from which
a Beech 10 in. dia. bears S 26 E 13 W. dist. X
a Do 10 " " " N 13 W 6 " "
Over swampy land, Timber Ash &c.

West on S. Side of Sec. 32 T. 26 N. - R. 9 E.

16.25 a Beech 14 in. dia.

40.00 Set gr. Sec. post from which
an Oak 8 in. dia. bears S 58 E 8 W. dist. X
a Hickory 7 " " " N 33 W 5 " "

41.00 Enter a Swamp corner S. W. & N. E.

80.00 Dry Land & set post cor. to Secs. 31 & 32 -
a Hickory 6 in. dia. bears N 78 E 37 W. dist. X
an Oak 14 " " " S 22 W 30 " "
Land & Timber same as on the last line.

West on S. Side of Sec. 31 T. 26 N. - R. 9 E.

8.55 an Aspen 12 in. dia.

40.00 Set gr. Sec. post from which
a Hickory 6 in. dia. bears N 64 E 18 W. dist. X
a Sugar 18 " " " S 57 W 32 " "

74.33 To Township Corner

Land & Timber same as on the last line

West Boundary

Var. 6° 45' E.

North on E. Side of Sec. 36 T. 25 N. - R. 8 E.

- 11.90 at Beech 12 in. dia.
 24.00 at Brook 12 W. wide course E.
 40.00 Let gr. Sec. Post from which
 at Beech 10 in. dia. bears 458 W 10th. dist. &
 an Ash 5 " " " N 22 E 10 " "
 54.00 a Creek 30 W. wide course E.
 67.60 an Ash 18 in. dia.
 80.00 Let Post Cor. to Secs. 25 & 36 from which
 an Ash 18 in. dia. bears 42 W 30th. dist. &
 at Beech 12 " " " N 16 W 10 " "
 Over good farming land. Timber Beech,
 Sugar, Ash & wing^d Spice &c.

North on E. Side of Sec. 25 T. 25 N. - R. 8 E.

- 40.00 Let gr. Sec. Post from which
 at Beech 12 in. dia. bears 420 E 47 W. dist. &
 a Do 15 " " " N 59 W 9 " "
 62.55 a Do 12 " "
 80.00 Let Post Cor. to Secs. 24 & 25 from which
 an Ash 30 in. dia. bears 446 W 7 W. dist. &
 an Oak 10 " " "
 Land & Timber same as on the last line.

North on E. Side of Sec. 24 T. 25 N. - R. 8 E.

- 24.10 an Oak 14 in. dia.
 40.00 Let gr. Sec. Post from which
 an Oak 12 in. dia. bears 47 E 6 W. dist. &
 a Do 18 " " " N 9 W 16 " "
 80.00 Let Post Cor. to Secs. 13 & 24 from which
 at Beech 18 in. dia. bears 139 W 5 W. dist. &
 an Ash 24 " " " S 22 E 45 " "
 Land & Timber same as on the last line.

T. 25 N. - R. 9 E. 9th Mer. Indianas 77

North on E. Side of Sec. 13 T. 25 N. - R. 8 E.
27.40 a Hickory 16 in. dia.

40.00 Let gr. Sec. Post from which
an Ash 24 in. dia. bears S 16 E 22 W. dist. 4
a Beech 12 " " " N 70 W 6 " "

71.00 Enter a Swamp corner E & W.

80.00 Dry land. Let Post Cr. to Secs. 12 & 13 -
an Aspen 10 in. dia. bears N 24 E 8 W. dist. 4
a Hickory 14 " " " S 33 W 43 " "
Sand & Timber same as on the last line.

North on E. Side of Sec. 12 T. 25 N. - R. 8 E -

30.00 Enter a Swamp corner E -

40.00 Let gr. Sec. Post from which
an Aspen 12 in. dia. bears N 1 E 53 W. dist. 4

66.90 a Beech 10 " "

80.00 Let Post Cr. to Secs. 14 & 12 from which
a Beech 12 in. dia. bears S 19 E 50 W. dist. 4
a — 18 " " " N 48 W 31 " "
On Swampy land.

North on E. Side of Sec. 1 T. 25 N. - R. 8 E -

14.50 a Beech 14 in. dia.

40.00 Let gr. Sec. Post from which
an Oak 12 in. dia. bears S 39 W 21 W. dist. 4
an Ash 8 " " " N 22 E 22 " "

74.90 Let Post Cr. to Townships 25 & 26 North
Range 8 & 9 East, from which
an Oak 24 in. dia. bears N 5 W 17 W. dist. 4
a Do 12 " " " S 27 E 10 " "

Description of Land &c omitted

Surveyed in 1820 by
John M. Donald J. S.

Subdivision

Var. 6° 45' E -

North Return Loc. 35 & 36.

14.10 an Ash 26 in. dia.

40.00 Let gr. Loc. post from which

an Elm 18 in. dia. bears N 15 W 18 W. dir.
a Hickory 18 " " " S 70 E 36 " "

60.50 an Elm 10 " "

80.00 Let post ca. to Loc. 25. 26. 35 & 36 from which

a W. Oak 44 in. dia. bears N 15 E 39 W. dir.
a Hickory 5 " " " S 19 W 32 " "

Sand land very swampy. not fit. for
Cultivation. Ash. Elm. Maple &c.

November 23rd 1823.

East on Random between Loc. 25 & 36.

40.00 Let temp. gr. Loc. post.

80.50 Intersect E. Bound. line 90 W. N. of post.

Sand land poor 2nd rate. Timber Oak,
Ash. Elm &c. range S. Oak &c.

West corner between Loc. 25 & 36.

40.25 Let gr. Loc. post at average dist. from which

a Beech 44 in. dia. bears S 78 W. 20 W. dir.

a Do 12 " " " N 70 E 18 " "

80.50 To Loc. Corner.

North Return Loc. 25 & 26.

38.00 a W. Oak 4 in. dia.

40.00 Let gr. Loc. post from which

an Elm 22 in. dia. bears S 25 W 5 W. dir.
a Beech 44 " " " N 35 E 5 " "

66.50 an Ash 18 " "

80.00 Let post ca. to Loc. 23. 24. 25 & 26 from which

a Beech 18 in. dia. bears N 40 E 10 W. dir.

a Do 10 " " " S 40 W 15 " "

Sand very low 3rd rate. Timber as before.

J. D. N. W. G. E. 2nd Mer. Indian 29

East on Random between Secs. 24 & 25:
40.00 Set temp. q. Sec. Post.
80.50 Intersect E Bound. line 190 W. S. of Post.
Land &c. same as on the last line.

West Corner between Secs. 24 & 25 -
40.25 Set q. Sec. Post at average dir. fr. which
a Poplar 12 in. dia. has N 58 E 14 W. dir.
an Ash 14 " " " S 82 W 18 " ")
80.50 To Sec. Corner.

North Between Secs. 23 & 24.
15.00 Enter a Prairie
40.00 Set q. Sec. Post & raise a mound.
55.00 Leave the Prairie
60.00 Enter " Do
80.00 Set Post Cn. to Secs. 13, 14, 23 & 24 in Prairie
& raise a mound.
Prairie cov. Timber Land dry & poor.

East on Random between Secs. 13 & 24.
35.00 Leave the Prairie
40.00 Set temp. q. Sec. Post.
81.00 Intersect E Bound. line 25 W. S. of Post.
Low. wet. Scandalous Land -

West Corner between Secs. 13 & 24 -
40.50 Set q. Sec. Post at average dir. from which
a W. Oak 15 in. dia. has S 20 W 30 W. dir.
a Do 18 " " " N 30 E 17 " ")
81.00 To Sec. Corner November 24th 1823 -

North Between Secs. 13 & 14.
22.00 Leave the Prairie
24.25 a Red Oak 32 in. dia.
40.00 Set q. Sec. Post from which

J. D. N. - R. G. E. 2nd Mer. Indian

a Burr Oak 8 in. dia. bears West 20th dist. N
 an Elm 12 " " " N 8 E 20 " "
 56.50 an Elm 28 " "
 80.00 Let post ca. to Sec. 11, 12, 13 & 14 from which
 a Beech 10 in. dia. bears N 57 E 19th dist. N
 a Do 18 " " " N 75 W 25 " "
 Sand poor. 2nd rate sand. Beech. Oak. Sugar N.

East on Random between Sec. 12 & 13 -
 40.00 Let temp. q. Sec. post.
 80.00 Intersect E. Bound. line - N. of post.
 Sand very wet & poor.

West corner between Sec. 12 & 13
 40.00 Let q. Sec. post at average dist. from which
 an Elm 6 in. dia. bears S 47 W 36th dist. N
 a Beech 18 " " " N 9 E 26 " "
 80.00 To Sec. Corner.

North Return Sec. 11 & 12
 40.00 Let q. Sec. post from which
 a Buckeye 15 in. dia. bears N 10 W 16th dist. N
 a W. Oak 10 " " " 48 E 16 " "
 45.00 a Stream 10th dist. wide corner S. E.
 80.00 Let post ca. to Sec. 1, 2, 11 & 12 from which
 a Sugar 12 in. dia. bears S 7 E 34th dist. N
 a Beech 12 " " " N 7 W 34 " "
 Sand level 2nd rate. Timber as before.

East on Random between Sec. 1 & 12
 40.00 Let temp. q. Sec. post.
 80.25 Intersect E. Bound. line 5th dist. N. of post.
 Sand level 2nd rate.

West corner between Sec. 1 & 12.
 2.00 a Stream 20th dist. wide corner N. E.

S. D. N. R. G. E. 2nd Mer. Indiana 81

40.12 Set gr. Sec. Post at arrage dist. from which
an Ironwood 4 in. dia. bears N 70 E 13 " "
a Do 3 " " " N 70 E 13 " "
80.25 To Sec. Corner.

North Between Secs. 1 & 2

25.00 a W. Oak 30 in. dia.

40.00 Set gr. Sec. Post from which
at Beech 10 in. dia. bears S 17 E 20 W. dist. 1/2
a Do 12 " " " S 88 W 25 " "

59.50 a W. Oak 30 " "

73.68 Intersect N. Bound. line 30 W. E. of Post -
where Set Post Co. to Sec. 1 & 2 from which
a Cherry 6 in. dia. bears S 17 W 31 W. dist. 1/2
a Do 6 " " " N 18 E 8 " "

Sand flat 2nd q. at. Timber Beech. Elm,
Sugar. Hickory, Cherry, Oak fr. Augth
P. Ash. Spruce, Bk. Hare fr.

November 25th 1823 -

North Between Secs. 34 & 35 -

3.75 a W. Oak 36 in. dia.

40.00 Set gr. Sec. Post from which
at Hickory 15 in. dia. bears N 70 W 17 W. dist. 1/2
at Beech 10 " " " N 89 E 23 " "

80.00 Set Post Co. to Secs. 26, 27, 34 & 35 from which
an Elm 18 in. dia. bears N 75 E 21 W. dist. 1/2
a Do 30 " " " N 12 W 15 " "

Sand flat. 100 ft swampy Timber Elm,
Hickory, Oak fr.

East in Random between Secs. 26 & 35 -

40.00 Set temp. gr. Sec. Post.

80.12 Intersect W. line 100 W. N. of Post,
Land very swampy.

West Corner between Secs. 26 & 35.
 40.06 Let q. Sec. Post at average dist. from which
 a Hickory 8 in. dia. bears N 10 W 22 W. dist. 7
 a Do 10 " " " S 70 E 7 " "
 80.12 To Sec. Corner.

North between Secs. 26 & 27
 21.62 a Hickory 18 in. dia.
 40.00 Let q. Sec. Post from which
 an Ash 8 in. dia. bears N 24 W. dist. 7
 a Do 4 " " " S 29 W 15 " "
 41.75 a Lycamore 24 " "
 80.00 Let Post Co. to Secs. 22, 23, 26 & 27 from which
 an Ash 3 in. dia. bears N 8 E 11 W. dist.
 a Do 4 " " " S 45 E 7 " "
 Land Swampy. Trees as before.

East on Random between Secs. 23 & 26 -
 40.00 Let temp. q. Sec. Post.
 78.58 Intersect W. line 18 W. S. of Post.
 Land & Trees as before.

West Corner between Secs. 23 & 26 -
 39.29 Let q. Sec. Post at average dist. from which
 a Hickory 18 in. dia. bears S 60 W 9 W. dist. 7
 a Cherry 4 " " " S 80 E 24 " "
 78.58 To Sec. Corner.

North between Secs. 22 & 23
 40.00 Let q. Sec. Post from which
 a Beech 20 in. dia. bears N 73 W 27 W. dist. 7
 an Ironwood 6 " " " S 5 W 18 " "
 41.54 an Elm 30 " "
 80.00 Let Post Co. to Secs. 14, 15, 22 & 23 from which
 an Ash 6 in. dia. bears S 44 E 23 W. dist. 7
 an Elm 4 " " " S 20 W 26 " "

I. D. N. - N. G. E. 2nd Mer. Indiana 83

Land as before

East and Random between Secs. 14 & 23 -

40.00 Set temp. g. sec. Post.

79.17 Intersect N.W. line 100 W. E. of Post -
Land as before

West Corner between Secs. 14 & 23 -

39.58 Set g. sec. Post at average dist. from which
a Maple 15 in. dia. bears N 13 E 15 W. dir. &
a Do 12 " " " N 44 W 20 " "

79.17 To Sec. Corner.

North between Secs. 14 & 15.

26.25 a Sugar 18 in. dia.

40.00 Set g. sec. Post from which

a Beech 15 in. dia. bears N 53 E 4 W. dir. &
an Ash 20 " " " West 7 " "

61.16 a Do 25 " "

69.00 a Stream 40 W. wide Corner E -

80.00 Set Post cor. to Secs. 10, 11, 14 & 15 p. which
a Beech 15 in. dia. bears S 49 W 33 W. dir. &
a R. Oak 18 " " " S 87 E 7 " "
Land & Timber as before.

East and Random between Secs. 11 & 14 -

28.00 a Stream 40 W. wide Corner N.E.

40.00 Set temp. g. sec. Post.

70.65 a Stream 6 W. wide Corner N.W.

79.75 Intersect N.W. line 163 W. E. of Post -
Land as above.

West Corner between Secs. 11 & 14 -

39.87 Set g. sec. Post at average dist. from which
an Ash 15 in. dia. bears N 65 W 27 W. dir. &
a Beech 6 " " " S 60 E 17 " "

79.75 To Sec. Corner.

North Between Secs. 10 & 11

21.50 a B. Oak 50 in. dia.

38.58 a Stream 6 ft. wide Corner N.E.

40.00 Set gr. Sec. Post from which

Beech 20 in. dia. bears N 20 W 2 ft. dist.

a Do 20 " " " N 65 W 8 " "

81.00 Set Post Cn. to Secs. 2 & 3. 10 & 11 from which

A Hickory 20 in. dia. bears N 65 E 25 ft. dist.

a Do 6 " " " N 28 W 12 " "

Land as before

East on Random between Secs. 2 & 11.

8.50 a Stream 10 ft. wide Corner N.E.

13.75 a Do 18 " " " S.E.

40.00 Set temp. gr. Sec. Post.

77.18 Intersect. N. line 238 ft. S. of Post.

Land & Timber as before

West Corner between Secs. 2 & 11.

38.59 Set gr. Sec. Post at a map dist. from which

Beech 10 in. dia. bears N 17 E 22 ft. dist.

a Do 12 " " " N 53 W 27 " "

77.18 To Sec. Corner.

North Between Secs. 2 & 3.

7.00 a B. Oak 24 in. dia.

13.60 a Stream 15 ft. wide Corner E.

15.55 a Do 15 " " " S.W.

19.50 a Do 15 " " " S.E.

40.00 Set gr. Sec. Post from which

Ash 12 in. dia. bears N 11 E 5 ft. dist.

a Maple 30 " " " S 20 W 7 " "

78.29 Intersect. N. Bound. line 244 ft. E. of Post.

whence Post Cn. to Secs. 2 & 3 from which -

J. D. N. - N. G. E. 2nd Mer. Indiana 85

a Beech 20 in. dia. bears 460 N 29 W. dist. 8
 a Do 10 " " " 352 E 14 " "
 Land lent 3rd rate. November 25th 1893.

North Between Secs. 33 & 34.

40.00 Set gp. Sec. Post from which
 a Hickory 20 in. dia. bears 29 N 14 W. dist. 8
 an Ash 20 " " " 128 E 15 " "
 80.00 Set Post cen. to Secs. 27, 28, 33 & 34 from which
 an Ash 20 in. dia. bears 161 E 10 W. dist. 8
 a Do 8 " " " 343 N 11 " "
 Land lent & swampy -

East on Random between Secs. 27 & 34

40.00 Set temp. gp. Sec. Post.
 80.00 Enter on W. line 157 W. N. of Post.

West Corner between Secs. 27 & 34

40.00 Set gp. Sec. Post at average dist. from which
 a H. Oak 6 in. dia. bears 182 E 9 W. dist. 8
 a W. Oak 8 " " " 25 W 22 " "
 80.00 To Sec. Corner

North Between Secs. 27 & 28.

6.42 a Beech 20 in. dia.
 40.00 Set gp. Sec. Post from which
 a Hickory 24 in. dia. bears 122 E 8 W. dist. 8
 an Elm 18 " " " 117 E 22 " "
 65.63 a H. Oak 30 " "
 80.00 Set Post cen. to Secs. 21, 22, 27 & 28 from which
 an Ironwood 4 in. dia. bears 72 E 12 W. dist. 8
 a Do 4 " " " 80 N 14 " "

East on Random between Secs. 29 & 27.

21.00 a Stream 10 W. into corner N.E.
 40.00 Set temp. gp. Sec. Post.

T. D. N. - R. G. E. J. Mer. Indiana

55.00 a Swamp 5 chains wide.

80.37 Entered N.E. line 109 W. St. of Post.
Land lent & swampy. Similar Hickory,
Ash, Beech, Sugar, Elm, Maple & Ungth
Ironwood, Swamp Ash &c

West corner between Secs. 22 & 27.

40.18 Set gr. Sec. Post at average dist. from which
a Beech 24 in. dia. bears N 55 W 16 W. dist. 1/2
a Do 18 " " " 29 W 27 " "
80.37 To Sec. Corner. November 26th 1823.

North between Secs. 21 & 22.

34.25 a Beech 12 in. dia.

40.00 Set gr. Sec. Post from which
a Beech 24 in. dia. bears N 49 E 21 W. dist. 1/2
a Do 18 " " " 39 W 30 " "

62.00 a Stream 50 W. wide Cross N.E.

80.00 Set Post Cn. to Secs. 15, 16, 21 & 22 from which
a Beech 18 in. dia. bears N 8 E 9 W. dist. 1/2
a Do 24 " " " N 5 E 19 " "

Land lent & swampy. Similar Ash, Oak,
Beech, Elm, Hickory, Sugar & Ungth.
Spice, Thorn, Ash &c

East on Randam between Secs. 15 & 22.

11.00 a Stream 50 W. wide Cross N.E.

40.00 Set temp. gr. Sec. Post.

62.40 a Stream 15 W. wide Cross N.W.

79.50 Entered N.E. line 20 W. St. of Post.
Land & Trees as before.

West corner between Secs. 15 & 22.

39.75 Set gr. Sec. Post at average dist. from which
a White Beech 5 in. dia. bears N 1 E 3 W. dist. 1/2
a Hickory 20 " " " N 2 E 25 " "

T. D. N. R. G. E. 2nd Mer. Indiana 87

79.50 To Sec. Corner.

North Return Secs. 15 & 16-

12.00 an Ash 20 in. dia.

40.00 Set gr. sec. post from which

a Beech 15 in. dia. bears N 67 W 18 W. dist. 8

a Hickory 24 " " " S 15 E 7 " "

43.75 a Stream 10 W. wide runs N. E.

80.00 Set post con. to Secs. 9, 10, 15 & 16 from which

a Beech 15 in. dia. bears N 13 W 34 W. dist. 8

a Do 18 " " " S 46 W 13 " "

Land & Timber as before

East on Random between Secs. 10 & 15-

40.00 Set temp. gr. sec. post-

79.50 Intersect Wd. line 108 W. N. of post-

Land cont. & wt. Timber as before.

West Corner between Secs. 10 & 15-

39.75 Set gr. Sec. post at average dist. from which

an Ash 20 in. dia. bears N 19 W 38 W. dist. 8

a Do 8 " " " S 79 W 4 " "

79.50 To Sec. Corner.

North Return Secs. 9 & 10-

6.08 an Oak 15 in. dia.

40.00 Set gr. Sec. post from which

a Hickory 6 in. dia. bears N 67 W 9 W. dist. 8

an Ash 3 " " " N 82 E 11 " "

3.54 an Elm 36 " "

80.00 Set post con. to Secs. 3, 4, 9 & 10 from which

an Ash 20 in. dia. bears S 85 E 7 W. dist. 8

a Do 24 " " " S 5 W 19 " "

Land & Timber as before.

East on Random between Secs. 3 & 10-

T. D. N. R. G. E. 2nd Mer. Indiana

40.00 Let temp. gr. Sec. Post.
 80.00 Intersect N. line 57 W. S. of Post.
 Sand & Timber as before.

West Corner between Secs. 3 & 10.

40.00 Let gr. Sec. Post at average dist. from which
 a Maple 10 in. dia. bears N 7 E 10 W. dist. 4
 an Ash 12 " " " 438 W 10 " "
 80.00 To Sec. Corner. December 5th 1873.

North between Secs. 3 & 4.

5.00 a W. Oak 24 in. dia.
 37.50 a Stream 25 W. into corner N. E.
 40.00 Let gr. Sec. Post from which
 an Ash 24 in. dia. bears N 64 E 22 W. dist. 4
 a Do 30 " " " N 52 W 1 " "
 42.50 a W. Oak 36 " "
 77.50 Intersect N. Bound. line 237 W. E. of Post.
 when Set Post Cr. to Secs. 3 & 4 from which
 an Elm 10 in. dia. bears S 3 E 45 W. dist. 4
 a W. Oak 24 " " " - 25 W 20 " "

North between Secs. 32 & 33.

17.00 an Ash 12 in. dia.
 40.00 Let gr. Sec. Post from which
 a Beech 19 in. dia. bears S 70 W 15 W. dist. 4
 an Ironwood 4 " " " N 70 E 5 " "
 64.00 a W. Oak 15 " "
 80.00 Let Post Cr. to Secs. 28, 29, 32 & 33 from which
 a Hickory 4 in. dia. bears N 46 E 24 W. dist. 4
 a Beech 24 " " " N 75 W 13 " "
 Sand & 2nd Rate. Beech. Ash. Aug^r. Same.

East on Random between Secs. 28 & 33.

40.00 Let temp. gr. Sec. Post.
 80.18 Intersect N. line 70 W. S. of Post.

T. D. N. - R. G. E. 2nd Mer. Indiana 89

Land 2nd rate. Hickory, Elm, Beech, Walnut &c

West corner between Secs. 28 & 33 -

40.00 Set gr. Sec. post at average dist. from which
a Hickory 18 in. dia. bears N 25 W 5 W. dist. 1/2
an Elm 20 " " " S 40 E 20 " "

80.18 To Sec. Corner.

North between Secs. 28 & 29 -

5.20 a Beech 20 in. dia.

40.00 Set gr. Sec. post from which
an Ash 5 in. dia. bears N 70 E 14 W. dist. 1/2
a Do 5 " " " S 64 W 10 " "

70.50 a Beech 12 " "

80.00 Set post con. to Secs. 20, 21, 28 & 29 from which
an Ironwood 4 in. dia. bears N 39 W 32 W. dist. 1/2
a Beech 10 " " " S 15 E 8 " "

Land line 2nd rate. Sugar, Beech, Elm &c

East on Random between Secs. 21 & 28.

40.00 Set temp. gr. Sec. post

80.00 Intersect N. line 100 W. N. of post.

Land & Timber as before.

West corner between Secs. 21 & 28.

40.00 Set gr. Sec. post at average dist. from which
a Sugar 18 in. dia. bears S 20 W 30 W. dist. 1/2
an Ironwood 5 " " " N 25 E 32 " "

80.00 To Sec. Corner November 26th 1833.

North between Secs. 20 & 21

10.80 a Stream 20 W. wide corner E. (not durable)

15.50 a W. Oak 36 in. dia.

40.00 Set gr. Sec. post from which
a W. Oak 12 in. dia. bears N 13 E 16 W. dist. 1/2
a Beech 4 " " " S 5 E 10 " "

55.00 at Oak 24 in. dia.

80.00 Let post cor. to Sect 16. 17. 20 & 21 fr. which
an Elm 24 in. dia. bears S 20 E 20 th. dist. &
an Ironwood 5 " " " N 75 W 20 " "
Land & Timber same as before

East on Random between Sect 16 & 21 -

40.00 Let temp. gr. sec. post.

79.70 Intersect Mt. line 30 W. N. of post.

Land very rich. Ash. Elm. Walnut & -

West corner between Sect 16 & 21

39.85 Let gr. sec. post at average dist. from which
an Ash 16 in. dia. bears S 38 E 15 W. dist. &
a Do 12 " " " N 80 W 17 " "

79.70 To Sec. corner.

North between Sect 16 & 17

40.00 Let gr. sec. post from which

at Beech 14 in. dia. bears S 10 W 12 W. dist. &

a Do 14 " " " N 40 W 43 " "

59.50 a Lynn 15 " "

80.00 Let post cor. to Sect 8. 9. 16 & 17 from which

an Ash 14 in. dia. bears S 70 E 13 W. dist. &

an Oak 8 " " " N 60 W 33 " "

Rolling 2nd rate Land.

East on Random between Sect 9 & 16 -

40.00 Let temp. gr. sec. post.

79.50 Intersect Mt. line at post.

Land very swampy & flat. Timber & Beech.
Ash. Elm. Maple & -

West corner between Sect 9 & 16 -

39.75 Let gr. sec. post at average dist. from which
at Beech 6 in. dia. bears S 18 W 12 W. dist. &

T. 25 N. - R. 9 E. 2nd Mer. Indiana 21

at Beech 4 in. dia. bears N 30 E 16 W² dist.
79.50 To Sec. Corner.

North Return Sec^s 8 & 9

31.00 at W. Oak 22 in. dia.

40.00 Set gr. sec. post from which

a W. Oak 15 in. dia. bears N 31 W 10 W² dist. 8

a Do 36 " " " S 54 E 53 " "

65.00 at B. Oak 18 " "

80.00 Set post cor. to Sec^s 4, 5, 8 & 9 from which

a Beech 24 in. dia. bears N 30 W 18 W² dist. 8

a Do 28 " " " S 20 E 8 " "

Land good rolling.

East on Random between Sec^s 4 & 9 -

40.00 Set temp. gr. sec. post.

78.20 Intersect M. line 90 W² E. of post -

Land level 2nd rate. Poplar. Sugar. Beech. Elm &c

West corner between Sec^s 4 & 9 -

39.10 Set gr. sec. post at corner dist. fr. which

a W. Oak 14 in. dia. bears S 60 W 7 W² dist. 8

a Beech 5 " " " N 45 E 17 " "

78.20 To Sec. Corner.

North Return Sec^s 4 & 5

35.30 at P. Oak 20 in. dia.

40.00 Set gr. sec. post from which

an Elm 8 in. dia. bears S 8 E 13 W² dist. 8

a P. Oak 24 " " " N 10 W 24 " "

78.00 Intersect M. Round. line 390 W² E. of post.

when set post cor. to Sec^s 4 & 5 from which

a Hickory 12 in. dia. bears N 30 E 11 W² dist. 8

an Ironwood 5 " " " S 18 W 12 " "

Land flat swamp.

December 5th 1823.

92 T. 25 N. - R. 9 E. 2nd Mer. Indiana

North Between Secs. 31 & 32

40.00 Set gr. Sec. post in Willow Swamp -
when bearing trees could not be had.

80.00 Set post Cor. to Secs. 29, 30, 31 & 32 from which
a Sugar 15 in. dia. bears N 45 E 24 W. dist. 8
a Do 6 " " " N 25 W 11 " "

Sand level & swampy. Timber Beech, Sugar,
Ash, Spruce, Oak, Elm, Hickory, Maple &
angst Spice, Willow, Thorn &c.

East on Random between Secs. 29 & 32

40.00 Set temp. gr. Sec. post in Prairie Swamp.

81.00 Intersect W. line 379 W. N. of post.
Sand level & wet.

West corner between Secs. 29 & 32 -

40.50 Set gr. Sec. post at average dist. No trees

81.00 To Sec. corner.

West Between Secs. 30 & 31.

6.25 an Elm 36 in. dia.

40.00 Set gr. Sec. post from which
a Beech 15 in. dia. bears N 73 W 39 W. dist. 8
a Do 18 " " " S 29 W 19 " "

75.23 Intersect W. Bound. line 265 W. S. of post -
where set post Cor. to Secs. 30 & 31 from which
a Beech 15 in. dia. bears N 16 W 25 W. dist. 8
a Do 18 " " " N 27 E 16 " "

Sand level inclining to wet. Timber as before.

North Between Secs. 29 & 30.

25.17 a Beech 14 in. dia.

40.00 Set gr. Sec. post from which
a W. Oak 30 in. dia. bears N 40 E 37 W. dist. 8
an Elm 10 " " " S 30 W 37 " "

72.00 an Oak 14 " "

T. 25 N. - R. 9 E. 2nd Mer. Indiana 93

80.00 Set Post Cor. to Sect. 19. 20. 29 & 30 from which
a Pin Oak 20 in. dia. bears N 32 E 12 W. dist. 8
an Elm 20 " " " S 52 W 25 " "
Land very wet.

East on Random between Sect. 20 & 29 -
40.00 Set temp. g. sec. post.
80.27 Intersect N. line at post -
Land level, inclining to west. Timber
Beech. Ash. Oak &c

West Mark between Sect. 20 & 29 -
40.13 Set g. sec. post at average dist. from which
a Hickory 10 in. dia. bears S 11 W 19 W. dist. 8
a Do 15 " " " S 38 E 19 " "
80.27 To Sec. Corner.

West Between Sect. 19 & 30 -
40.00 Set g. sec. post from which
a H. Oak 12 in. dia. bears S 58 E 13 W. dist. 8
a Do 5 " " " N 50 W 3 " "
75.50 Intersect N. Bound. line - S. of Post
when Set post Cor. to Sect. 19 & 30 from which
a Beech 10 in. dia. bears N 20 E 12 W. dist. 8
a Do 15 " " " S 70 W 30 " "
The poorer kind of Swampy land.
Timber same as before -

North Between Sect. 19 & 20 -
11.00 a Hickory 18 in. dia.
40.00 Set g. sec. post from which
an Ash 18 in. dia. bears S 10 W 14 W. dist. 8
a Do 24 " " " S 10 E 16 " "
78.00 a Beech 20 " "
80.00 Set Post Cor. to Sect. 17. 18. 19 & 20 from which
a Hickory 8 in. dia. bears S 20 W 18 W. dist. 8

T. D. N. R. G. E. 2nd Mer. Indiana

at Beech 12 in. dia. bears N 60 E 14 W. dist. 8
Land 3rd rate. Timber Beech, Ash &c.

East and Rand. between Secs. 17 & 20.

40.00 Set temp. gp. Sec. Post.

80.46 Intersect N. line 100 W. S. of Post -
Land Swampy very poor. Timber Oak. Oak.
Beech &c. (inf^{ty} Swamp Ash &c.

West Corner between Secs. 17 & 20.

40.23 Set gp. Sec. Post at average dist. from which
at Oak 10 in. dia. bears N 60 E 21 W. dist. 8
a Spruce 9 " " " N 64 W 18 " "
80.46 To Sec. Corner.

West Between Secs. 18 & 19.

40.00 Set gp. Sec. post from which

a Spruce 7 in. dia. bears S 40 W 20 W. dist. 8
an Oak 15 " " " N 70 E 4 " "

75.45 Intersect N. Boundary line 320 W. S. of Post -
where set Post Cu. to Secs. 18 & 19 from which
at Beech 12 in. dia. bears S 47 W 3 W. dist. 8
an Elm 20 " " " N 6 E 26 " "
Flat 3rd rate land.

North Between Secs. 17 & 18.

28.10 a Hickory 10 in dia.

40.00 Set gp. Sec. Post from which

at Beech 14 in. dia. bears N 73 W 22 W. dist. 8
a Do 14 " " " S 23 E 18 " "

48.60 a Hickory 14 " "

58.00 Swamp.

60.00 Prairie

80.00 Set Post Cu. to Secs. 7, 8, 17 & 18 in Prairie which
an Aspen 4 in. dia. bears N 68 E 125 W. dist. 8
a Do 10 " " " S 88 W 340 " "

T.D.N. R. G.E. 2nd Mu. Indiana 95

Sand level 3rd rate.

East on Random between Secs. 8417-

40.00 Set temp. gr. sec. post.

79.56 Put out N. line 15 W. N. of post.

Sand level 2nd rate. Ash. Oak. Sugar,
Hickory. Elm. Beech. &c.

West Corner between Secs. 8417

39.78 Set gr. sec. post at average dist. from which
an Ash 5 in. dia. bears N 30 E 19 W. dist. 8
a W. Beech 6 " " " S 20 W 4 " "

79.56 To Sec. Corner.

West Between Secs. 7418

40.00 Set gr. sec. post from which
a Hickory 7 in. dia. bears S 80 E 10 W. dist. 8
a R. Oak 28 " " " N 50 W 9 " "

75.90 Put out N. Bound. line 400 W. E. of post.
where set post cor. to Secs. 7418 from which
an Elm 4 in. dia. bears S 50 W 15 W. dist. 8
a Willow 4 " " " N 30 W 30 " "
Land flat very swampy.

December 6th 1853

North Between Secs. 748

20.00 Set gr. sec. post from which

a Beech 12 in. dia. bears N 65 W 25 W. dist. 8

a Do 14 " " " N 25 E 27 " "

80.00 Set post cor. to Secs. 5, 6, 748 from which

a Hickory 5 in. dia. bears S 44 E 10 W. dist. 8

a R. Oak 11 " " " N 75 W 27 " "

Sand level & swampy. Timber Beech. Ash.
Hickory. Maple Oak &c.

East on Random between Secs. 548-

40.00 Set temp. g. sec. post.
 79.50 Intersect N. line at post.

West between Secs. 5 & 8

39.75 Set g. sec. post at average dist. from which
 an Ash 10 in. dia. bears N 30 E 19 W. dist. X
 a Do 10 " " " S 25 E 8 " "

79.50 To Sec. Corner

West between Secs. 6 & 7

31.83 an Ash 12 in. dia.

40.00 Set g. sec. post from which
 a Beech 10 in. dia. bears S 70 E 15 W. dist. X
 a Do 16 " " " N 7 E 31 " "

77.25 Intersect N. Bound. line 750 W. S. of post
 where set post cor. to Sec. 6 & 7 from which
 a Beech 24 in. dia. bears N 82 E 37 W. dist. X
 a Do 12 " " " S 77 W 13 " "
 Land level 2nd rate.

North between Secs. 5 & 6

27.04 an Elm 48 in. dia.

40.00 Set g. sec. post from which
 a Beech 12 in. dia. bears N 34 W 32 W. dist. X
 a Hickory 5 " " " S 25 E 8 " "

40.32 a Do 18 " "

80.00 Intersect N. Bound. line 285 W. E. of post
 where set post cor. to Sec. 5 & 6 from which
 an Ash 16 in. dia. bears N 28 E 11 W. dist. X
 a Maple 12 " " " S 34 W 15 " "

Land level, part swampy.

Surveyed in 1823 by

John Hendricks

Deputy Surveyor.

T. D. N. W. R. G. E. 2nd Mer. Indiana 97

I Certify that the foregoing transcript
of the Field Notes of Township 25 North,
in Range 9 East of the 2nd Meridian in
Indiana, has been compared with
the original in this office, and found
to be correct.

Surveyor General's Office,
Cincinnati May 13th 1843

William Johnston
Sur. Genl.